



ESP CASE DETECTION ALGORITHM

Depression

Document Version 2.11

Prepared by the Department of Population Medicine at Harvard Medical School and Harvard Pilgrim Health Care Institute on behalf of the Massachusetts Department of Public Health.

esphealth@harvardpilgrim.org

September 26, 2016

Modification History

| Version | Date | Modification | By |
|---------|------------|---------------------------------------|-----|
| 2.11 | 10/11/2017 | Added ESP logo and MDPH branding | DPM |
| 2.1 | 6/30/2017 | Transferred to new algorithm template | DPM |
| 2.0 | 9/26/2016 | | |
| 1.0 | 11/4/2014 | | |
| | | | |



1. Overview

The purpose of this document is to describe the criteria used to identify Depression in MDPHnet data.

2. Criteria used to identify cases using ESP data

I. CASE CRITERIA

One or more ICD codes for depression in the past year AND
Prescription for an antidepressant within 60 days before or after the code.

II. ICD-9/ICD-10 CODES FOR CASE CRITERIA

| | | | |
|----------------------|--------|-------------------|---|
| Depressive disorders | ICD-9 | 296.2 | Major depressive disorder, single episode |
| | | 296.3 | Major depressive disorder, recurrent episode |
| | | 296.82 | Atypical depressive disorder |
| | | 300.4 | Dysthymic disorder (includes depression with anxiety, depressive reaction, reactive depression, neurotic depressive state) |
| | | 301.12 | Chronic depressive personality disorder |
| | | 308.0 | Acute reaction to major stress with depressive symptoms |
| | | 309.0-309.1 | Brief depressive reaction |
| | | 309.28 | Adjustment disorder with mixed anxiety and depressed mood |
| | | 311 | Depressive disorder, not elsewhere classified |
| | | V79.0 | Special screening for depression |
| | | 648.4 | Mental disorders complicating pregnancy, childbirth or the puerperium |
| | ICD-10 | F32. | Major depressive disorder, single episode |
| | | F33. | Major depressive disorder, recurrent |
| | | F34.1 | Dysthymic disorder |
| | | F43.21 | Adjustment disorder with depressed mood |
| | | F43.23 | Adjustment disorder with mixed anxiety and depressed mood |
| | | F06.31- F06.32 | Mood disorder due to known physiological condition with depressive features |
| | | F53.0 | Mild mental and behavioral disorders associated with the puerperium, not elsewhere classified: Includes: postnatal depression NOS postpartum depression NOS |



III. MEDICATIONS FOR CASE CRITERIA

| | |
|------------------------|-----------------|
| Heterocyclic Compounds | Amitriptyline |
| | Clomipramine |
| | Desipramine |
| | Doxepin |
| | Imipramine |
| | Nortriptyline |
| | Protriptyline |
| | Amoxapine |
| | Trimipramine |
| | Maprotiline |
| MAO Inhibitors | Isocarboxazid |
| | Phenelzine |
| | Selegiline |
| | Tranlycypromine |
| SSRIs | Citalopram |
| | Escitalopram |
| | Fluoxetine |
| | Fluvoxamine |
| | Paroxetine |
| | Sertraline |
| SNRIs | Desvenlafaxine |
| | Duloxetine |
| | Venlafaxine |
| | Levomilnacipran |
| Other | Bupropion |
| | Mirtazapine |
| | Trazodone |
| | Nefazodone |

IV. TIME WINDOW

Criteria for ending designation of current depression: At least 1 year without any depression-related from the date of the most recent ICD9/10 codes or prescriptions (new or renewal). Declassify at the first encounter without a depression-related ICD9/10 code or prescription after the 1 year period has elapsed.

V. OUTPUTS

- A. Add to ESPnet to condition tables



- B. Add to MPDHnet list of queryable conditions in user interface
- C. Add to GenPop, RiskScape, and TrimTracker reports

VI. MDPHNET REPORT

- A. Generate custom SQL for an MDPHnet report
- B. Count of all patients with ≥ 1 encounter within the past two years
- C. Count of all patients with active depression during the past year
- D. Count of patients with active depression during the past year and ≥ 1 diagnosis code for cancer within the past year (ICD9's 140-209 or ICD10 C00-C97)
- E. Stratify by PWTF community, sex, 10 year age-group, and race-ethnicity